

09875198-060701  
T02090-86752860

We claim:

1. A shaving preparation to aid in the prevention or treatment of pseudofolliculitis barbae, comprising therapeutic amounts of a glucocorticoid and at least one antibacterial agent.
2. A shaving preparation of claim 1, wherein the antibacterial agent is an antibiotic.
3. A shaving preparation of claim 1, wherein the antibacterial agent is a bacteriostatic agent.
4. The shaving preparation of claim 1, further comprising a therapeutic amount of benzoyl peroxide.
5. The shaving preparation of claim 1, wherein the glucocorticoid is provided in the amount of about 0.025 to 2.5% by weight.
6. The shaving preparation of claim 1, wherein the glucocorticoid is selected from the group consisting of hydrocortisone USP, hydrocortisone acetate, desonide, and triamcinolone acetate.
7. The shaving preparation of claim 1, wherein the glucocorticoid is hydrocortisone USP in an amount of about 1% by weight.
8. The shaving preparation of claim 2, wherein the antibiotic is provided in an amount of from about 0.5 to about 5% by weight.
9. The shaving preparation of claim 2, wherein the antibiotic is selected from the group consisting of bacitracin, polymixin-B sulfate and neomycin.

10. The shaving preparation of claim 2, wherein the antibiotic is non-keratolytic.
11. The shaving preparation of claim 3, wherein the bacteriostatic agent is selected from the group consisting of disodium edetate, sodium metabisulfate, zinc sulfate, zinc oxide and zinc phenosulfate.
12. The shaving preparation of claim 4, wherein the benzoyl peroxide is provided in an amount of about 2.5 to 10% by weight.
13. A method of preventing or treating pseudofolliculitis barbae comprising applying a shaving preparation comprising a therapeutic amount of a glucocorticoid to a skin area to be shaved, prior to shaving, after shaving, between shaves.
14. The method of claim 13, wherein the shaving preparation further comprises a therapeutic amount of at least one antibacterial agent.
15. The method of claim 13, wherein the shaving preparation further comprises a therapeutic amount of benzoyl peroxide.
16. The method of claim 14, wherein the shaving preparation further comprises a therapeutic amount of benzoyl peroxide.
17. The method of claim 13, wherein the shaving preparation comprises glucocorticoid provided in the amount of 0.025 to 2.5% by weight.
18. The method of claim 13, wherein the shaving preparation comprises of glucocorticoid selected from the group consisting of hydrocortisone USP, hydrocortisone acetate, desonide and triamcinolone acetate.
19. The method of claim 13, wherein the shaving preparation comprises hydrocortisone USP in the amount of about 1% by weight.

09875198-060701

20. The method of claim 13, wherein the shaving preparation is applied to the skin area immediately prior to shaving.
21. The method of claim 13, further comprising applying the shaving preparation after shaving.
22. The method of claim 13, wherein the shaving preparation is applied to the skin area in between shaves.
23. A shaving cream to aid in the prevention and treatment of pseudofolliculitis barbae or ingrown hair consisting essentially of a therapeutic amount of glucocorticoid and optionally, at least one antibacterial agent, benzoyl peroxide or both as active ingredient.
24. A shaving cream according to claim 23, wherein the glucocorticoid is in an amount of 0.025 to 2.5% by weight.
25. A shaving cream according to claim 23, wherein the glucocorticoid is selected from the group consisting of hydrocortisone USP, hydrocortisone acetate, desonide, and triamcinolone acetate.
26. A shaving cream according to claim 23, wherein the glucocorticoid is hydrocortisone USP in an amount of about 1% by weight.